2022 Spring Flood Outlook: Red River and Devils Lake Basins

February 24, 2022

Amanda Lee Service Hydrologist NWS Grand Forks


W. Am III M

Gregory Gust
Warning Coordination Meteorologist
NWS Grand Forks


Bottom Line up Front:


- Risk for significant flooding is overall higher than historic* (raised once again since February 10th outlook).
- Generally moderate to low end major flooding is the main threat for most (with some pockets of minor flooding).
 - Dry/drought conditions from 2021 are much improved due to fall precipitation.
 - Soil moisture and base streamflow near normal.
 - Snowpack/snow water content generally above normal.
- A brief warm up in the near term looks to trend back towards colder than normal temperatures with minor precipitation chances.
- March/April/May climate predictions suggest equal chances for below/normal/above temperatures and precipitation (i.e., no strong signal in any direction).


Flood Risk by Category at River Forecast Points



U.S. Drought Monitor









Fall-Winter Precipitation

Accumulated Precipitation (in): Departure from Mean October 1, 2021 to February 24, 2022



Summer vs Winter Soil Moisture

6 Months Ago (July 2021) vs Yesterday (February 2022)




Current NWS/CPC analysis has the basin within +/- 1 inch of normal in top ~3 ft of soil

August 2021 NH VT CT NJ DE

Much needed fall rains led to near normal streamflow heading into freeze-up

November 2021



Red River Basin Spring Flood Ingredients

Spring Flooding??

- 1. Fall Moisture

 - 2. Base Streamflow

 - 3. Frost Depth

7. Heavy Spring Rains

6. Spring Thaw Cycle


5. Snow Water Content

4. Winter Snow Pack




[Bluemle: Factors affecting flooding in the Red River Valley, 1997]

Frost Depths: Near to Deeper than Normal




- Despite the relatively warm start to winter, frost has penetrated fairly deep due to cold January and February conditions
- Normal to slightly deeper than normal
 - Generally 18 to nearly 50 inches deep
 - Not quite as deep in the far southern valley


Feb. 10th Snow Depth: Near to above Normal




Feb. 24th Snow Depth: Generally Above Normal



Feb. 10th Snow Water Content: Near to above Normal



Feb. 24th Snow Water Content: Near to Above Normal





North Central River Forecast Center Ranked Simulated Snow Water Equivalent Valid for 02/07/2022 12 GM






North Central River Forecast Center Ranked Simulated Snow Water Equivalent


SEATHER SERVICE

√Valid for 02/21/2022 12 GM



Note: This map compares current NCRFC Modeled SWE with the historical record of modeled SWE for each basin. An area ranked as 'Less than 10 percent' is at the lower end of the record and one ranked near 100 percent is at the higher end. A 50 percent ranking indicates current SWE is in the middle of our historical record.

Created on 02/08/2022 at 01:07:15



Note: This map compares current NCRFC Modeled SWE with the historical record of modeled SWE for each basin. An area ranked as 'Less than 10 percent' is at the lower end of the record and one ranked near 100 percent is at the higher end. A 50 percent ranking indicates current SWE is in the middle of our historical record.

Created on 02/22/2022 at 01:07:51 AM CST




North Central River Forecast Center Model Simulated Snow Water Equivalent Valid for 02/07/2022 12 GMI





North Central River Forecast Center Model Simulated Snow Water Equivalent Valid for 02/21/2022 12 GM





Red River Basin Spring Flood Ingredients

Spring Flooding ??

7. Heavy Spring Rains

1. Fall Moisture


6. Spring Thaw Cycle

2. Base Streamflow

5. Snow Water Content


3. Frost Depth

4. Winter Snow Pack




[Bluemle: Factors affecting flooding in the Red River Valley, 1997]

7-Day Forecast Precipitation Forecast (2/24-3/3)




CPC 8-14 Day Outlook



Early March:

Increased chances for below normal temperatures and above normal precipitation.


CPC Week 3-4 Outlook




Early to Mid March:

Increased chances for below normal temperatures with equal chances for below/normal/above precipitation.


CPC March/April/May Outlook




Equal chances for below/normal/above temperatures and precipitation (i.e., no strong signal in any direction).




With **near normal temperatures and precipitation** through the rest of winter and into spring, **moderate** to **low end major** flooding is probable for **Fargo/Moorhead**.




With **near normal temperatures and precipitation** through the rest of winter and into spring, **major** flooding is probable for **Fargo/Moorhead**.




With mild conditions and little to no additional precipitation through the rest of winter and into spring, minor to moderate flooding is probable for Fargo/Moorhead.




With mild conditions and little to no additional precipitation through the rest of winter and into spring, moderate to low end major flooding is probable for Fargo/Moorhead.




With **cold conditions and significantly above normal precipitation** through the rest of winter and into spring, *major* flooding is probable for **Fargo/Moorhead**.




With **cold conditions and significantly above normal precipitation** through the rest of winter and into spring, *major* flooding is probable for **Fargo/Moorhead**.




With **near normal temperatures and precipitation** through the rest of winter and into spring, **moderate** flooding is probable for **Grand Forks/East Grand Forks**.




With **near normal temperatures and precipitation** through the rest of winter and into spring, **moderate** flooding is probable for **Grand Forks/East Grand Forks**.




With mild conditions and little to no additional precipitation through the rest of winter and into spring, minor flooding is probable for Grand Forks/East Grand Forks.




With mild conditions and little to no additional precipitation through the rest of winter and into spring, moderate flooding is probable for Grand Forks/East Grand Forks.




With **cold conditions and significantly above normal precipitation** through the rest of winter and into spring, *major* flooding is most probable for **Grand Forks/East Grand Forks**.



With **cold conditions and significantly above normal precipitation** through the rest of winter and into spring, *major* flooding is most probable for **Grand Forks/East Grand Forks**.





Minnesota Tributaries:								February	<i>i</i> 10, 20	22 Out	look					
South Fork Buffalo River									i coi aa. ,	, 10, 10		IOOK				
SABIN	13.4	13.9	14.5	15.0	15.7	16	6.5	17.6								
Buffalo River																
HAWLEY	6.0	6.5		8.0	9.3		0.1	10.5								
DILWORTH	15.4	16.4	18.5	20.1	21.6	22	2.8	23.8								
Wild Rice River																
TWIN VALLEY	5.7	6.0	6.6	7.6	9.2	10	0.2	11.2								
HENDRUM	19.9	21.9	24.4	28.1	30.3	31	1.6	32.0								
Marsh River																
SHELLY	9.1	9.6	10.7	12.3	15.6	1"	7.2	18.6								
Sand Hill River																
CLIMAX	14.8	15.8	18.5	22.8	26.1	30	30.1 31.2									
Red Lake River																
HIGH LANDING	6.8	7.1	8.3	9.4	10.9	13	1.8	12.1								
CROOKSTON	15.5	16.6		20.4	22.5							Mi	nnesota	Tribut	aries:	
Snake River							So	outh Fork	Buffalo R	iver		_				
ABOVE WARREN	63.7	63.9	64.2	65.1	65.9	6				13.5	13.9	14.6	15.1	16.0	16.9	17.7
ALVARADO	101.3	101.9		105.3				uffalo Riv	er							
Two Rivers River								HAWLEY	02	6.3	6.8	7.5	8.2	9.3	10.4	10.5
HALLOCK	804.1	804.6	805.8	807.5	808.6	80		DILWORTH		16.4	16.6	18.9	20.5	22.2	23.1	23.9
Roseau River							Wild Rice F		iver							
ROSEAU	11.7	12.1	13.3	14.6	15.6	1		TWIN VALL		5.6	6.0	6.7	8.0	9.2	10.2	11.2
							_	WENDRUM		25.4	25.9	27.3	29.7	31.3	31.9	32.4
	Marsh N. 19									20.1	20.5	27.5		02.0	51.5	02.1
							SHELLY		10.6	10.9	12.2	13.8	16.7	18.0	19.7	
								Sand Hill River						20.0		
								CLIMAX	IVCI	18.5	20.0	22.6	24.7	28.8	31.1	33.0
			Red Lake River						20.0	31.1	33.0					
		HIGH LAND		6.6	6.9	7.8	9.0	10.6	11.6	11.8						
								CROOKSTON		14.3	15.6		19.4	22.1		26.1
										14.5	15.0	17.1	19.4	22.1	24.5	20.1
								Snake River ABOVE WARREN 63.6 63.7 64.0					64.9	65 7	67.4	68.7
				KEN	100.8		102.3	104.9	107.2		109.8					
								ALVARADO	Diren		101.3	102.3	104.9	107.2	100.0	109.0
								vo Rivers 1	River		202 7	204 6	006.0	000 0	200 1	21 0 2
								HALLOCK		802.9	803.7	804.6	806.8	808.2	809.1	810.3
				4, 2022		.		seau Rive	r	10.0	11 6	10.4	10 5	45.5		
		ROSEAU		10.9	11.6	12.4	13.5	15.5	16.9	17.7						

			North Dakota Tributaries:						bruary 1	LO. 2022	2 Outlo	ok			
Wild Rice River									,						
ABERCROMBIE	10.1	11.9	14.1	16.9	19.8	23.2	24.6								
Sheyenne River															
VALLEY CITY	12.2	12.6	13.4	15.8	19.2		23.0								
LISBON	12.6	13.1	14.6	16.0	19.4		24.1								
KINDRED	15.9	16.8	18.5	20.3	21.2	21.2	21.2								
WEST FARGO DVRSN	15.7	17.2	18.0	21.1	21.3	21.3	21.3								
HARWOOD	83.7	83.8	87.9	90.7	91.5	92.1	92.2								
Maple River															
ENDERLIN	11.3	11.6	12.2	12.7	13.7	14.5	15.2								
MAPLETON	19.2	19.5	20.5	21.7	22.4	23.3	23.9								
Goose River															
HILLSBORO	10.4	11.4	13.1	13.8	14.9	15.8	16.4								
Forest River															
MINTO	5.1	5.4	5.8	6.8	7.2	7.8	7.9				37 t	h B-14			
Park River											Nort	n Dakot	a Tribi	utaries:	-
GRAFTON*											4.7				
Pembina River									15.1	15.5	17.6	19.4	21.4	24.1	25.0
WALHALLA	5.3	5.5	6.6	8.0	10.1	13.0	13.8								
NECHE	9.7	10.3	11.8	15.3	18.6		21.4		12.6	13.1	14.1	16.4	19.1	22.3	23.9
									13.9	14.2	15.1	16.6	19.8	23.1	25.2
						KINDREI	_		17.7	18.2	19.8	20.4	21.2	21.2	21.2
WEST FAR.							DVI	RSN	17.2	17.7	19.3	21.3	21.3	21.3	21.3
		HARWOOI			87.4	88.5	89.8	91.2	91.8	92.1	92.2				
	1	Maple Riv	ær												
		ENDERLI	IN		12.0	12.3	12.8	13.3	14.0	14.8	15.4				
		MAPLETO	ON		20.3	20.6	21.5	22.1	22.8	23.3	23.9				
	(Goose Riv	ær												
		HILLSBO			11.7	12.4	13.7	14.4	14.9	15.7	16.6				
	1	Forest Ri													
	'	MINTO			5.8	5.9	6.5	7.0	7.6	7.9	8.2				
	1	Park Rive	ar.		3.0	3.3	0.0	7.0	7.0	7.5	0.2				
					1	GRAFTON									
					1	Pembina F			<i>c</i> 0		7 1	0.4	10 1	10.4	10.0
	Fals:	ruary 24	2022	Obl = =	.	WALHALI	AL		6.0	6.3	7.1	8.4	10.1	12.4	13.9
	K	NECHE			10.7	11.6	13.5	16.0	19.2	21.1	21.4				

PFOS: Probabilistic Flood Outlook Summary

- Same probabilistic data, just in a different format
- Includes all Red River mainstem and tributary forecast points


At a glance, relates current risk to:

- flood categories
- recent crests
- floods of record

Remains an experimental product so feedback is critical to keep it going!

Use the map below to view forecast point PFOS Graphics

(click a site marker below, then click on the image to expand)




www.weather.gov/fgf/PFOS

PFOS: Probabilistic Flood Outlook Summary

Please provide feedback:

amanda.lee@noaa.gov
or
Survey link from website


www.weather.gov/fgf/PFOS



Bottom Line up Front:

- Risk for significant flooding is overall higher than historic* (raised once again since February 27th outlook).
- Generally moderate to low end major flooding is the main threat with some pockets of minor flooding.
 - Near normal soil moisture and base streamflow
 - Near normal to above normal snowpack/snow water content
- A brief warm up in the near term looks to trend back towards colder than normal temperatures with minor precipitation chances.
- March/April/May climate predictions suggest equal chances for below/normal/above temperatures and precipitation (i.e., no strong signal in any direction).

Flood Risk by Category at River Forecast Points



^{*}Refers to Conditional Risk (this year) versus Historical Risk

Future 2022 Probabilistic Outlooks:

Thursday, March 10th

Same day for all text, graphics, and webinars

Contact the NWS Grand Forks office 24/7:

Email: nws.grandforks@noaa.gov

Phone: (701) 795-5127

Amanda Lee

Service Hydrologist amanda.lee@noaa.gov

Gregory Gust

Warning Coordination Meteorologist gregory.gust@noaa.gov